

EAST Search History

CH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	(250/370.13).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 14:01
L2	10385	cdte cdznte (cadmium near5 telluride)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:01
L3	581945	switch\$3 near5 (voltage power supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:02
L4	711	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:02
L5	55	2 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:04
L6	275885	polariz\$5 depolariz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:04
L7	203	2 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:07
L8	4202	3 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:07
L9	77	8 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:08
L10	2264	charge near5 bleed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:08
L11	15	6 same 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:09
L12	99	3 and 6 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 14:09

EAST Search History

CH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(radiation detect\$3 switch\$3 power bleed\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:12
L2	1	(radiation detect\$3 switch\$3 bleed\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:13
L3	836	(radiation detect\$3 switch\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:13
L4	2	(radiation detect\$3 switch\$3 depolariz\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:13
L5	131	(cadmium switch\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:13
L6	18	(cadmium telluride switch\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:14
L7	8	(cadmium telluride supply).clm.	US-PGPUB	AND	OFF	2006/07/28 14:23
L8	31	(charge bleed\$3 switch\$3).clm.	US-PGPUB	AND	OFF	2006/07/28 14:24